

Created using **RPAS Wilco**®

Operation Name:

Pilot Name:

Pilot Certificate:

Flight Start:

Flight End:

Flight Area (Latitude):

Flight Area (Longitude):

Altitude - Radius:

Airspace:

FIR - Contact:

Quirke Mine

March 24, 2023 2:02 PM

March 24, 2023 4:02 PM

46° 30' 40.38" N (46.511)

82° 38' 39.56" W (-82.644)

Alt: 600 ft - Rad: 926.0 m (0.5 nm)

UNCONTROLLED

CZYZ - 905-676-4509

Please ensure you received all required authorizations prior to flight.

Disclaimer

This Site Survey was created using RPAS Wilco by AIM Robotics. The flight plan contained is intended only for RPAS flights on the date/time and location specified. The user accepts all responsibility for the accuracy and completeness of the information contained.

For the complete Terms & Conditions, see

https://rpaswilco.com/#/tnc

Included |

Site Survey

Obstacles (if available)

Nearby Aerodromes

Canadian Aviation Regulations

GFA

Aerodrome Supplements


METAR & TAF (if available)

NOTAMs

CFS



Flight Map




MAP Details

	Latitude	Longitude
MODEL	46° 30' 40.38" N (46.511)	82° 38' 39.56" W (-82.644)
Pilot	46° 30' 43.98" N (46.5122)	82° 38' 43.16" W (-82.6453)



Airspace Classification



Overlying Airspaces

Class	Name	Floor	Ceiling
E	Southern Ontario Low Level Control Area CAE	3500MSL	12500MSL
В	Southern Ontario Low Level Control Area CAE	12500MSL	18000MSL
Е	T688 Airway	2200AGL	12500MSL
В	T688 Airway	12500MSL	18000MSL
E	Elliot Lake Muni, ON TA	700AGL	12500MSL
В	Elliot Lake Muni, ON TA	12500MSL	18000MSL

Nearest Aerodromes & Distance from Operation

ELLIOT LAKE (CGB5 WATERDROME	Reg)	Lat: 46.398 Long:	82.671 12.754 KI	1 6.89 NM
ELLIOT LAKE MUNICIPALITY (CYEL	AERODROME Reg)	Lat: 46.351 Long:	82.561 18.925 KI	1 10.22 NM
ALGOMA MILLS (CPN6 WATERDROME	Reg)	Lat: 46.188 Long:	82.824 38.495 KI	1 20.79 NM
AIRD ISLAND (CRD8 WATERDROME	Reg)	Lat: 46.143 Long:	82.414 44.6 KM	24.08 NM

Canadian Aviation Regulations

Division III — General Operating and Flight Rules

For full listing please visit https://laws-lois.justice.gc.ca/eng/regulations/SOR-96-433/FullText.html#s-901.27

Visual Line-of-sight

- 901.11 (1) Subject to subsection (2) no pilot shall operate a remotely piloted aircraft system unless the pilot or a visual observer has the aircraft in visual line-of-sight at all times during flight.
- (2) A pilot may operate a remotely piloted aircraft system without the pilot or a visual observer having the aircraft in visual line-of-sight if the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903.03.

Procedures

- 901.23 (1) No pilot shall operate a remotely piloted aircraft system unless the following procedures are established:
 - O (a) normal operating procedures, including pre-flight, take-off, launch, approach, landing and recovery procedures; and
 - O (b) emergency procedures, including with respect to
 - (i) a control station failure,
 - (ii) an equipment failure.
 - (iii) a failure of the remotely piloted aircraft,
 - (iv) a loss of the command and control link,
 - (v) a fly-away, and
 - (vi) flight termination.
- (2) If the manufacturer of the remotely piloted aircraft system provides instructions with respect to the topics referred to in paragraphs (1)(a) and (b), the procedures established under subsection (1) shall reflect those instructions.
- (3) No pilot shall conduct the take-off or launch of a remotely piloted aircraft unless the procedures referred to in subsection (1) are reviewed before the flight by, and are immediately available to, each crew member.
- (4) No pilot shall operate a remotely piloted aircraft system unless the operation is conducted in accordance with the procedures referred to in subsection (1).

Site Survey

901.27 No pilot shall operate a remotely piloted aircraft system unless, before commencing operations, they determine that the site for take-off, launch, landing or recovery is suitable for the proposed operation by conducting a site survey that takes into account the following factors:

- (a) the boundaries of the area of operation;
- (b) the type of airspace and the applicable regulatory requirements;
- (c) the altitudes and routes to be used on the approach to and departure from the area of operation;
- (d) the proximity of manned aircraft operations;
- (e) the proximity of aerodromes, airports and heliports;
- (f) the location and height of obstacles, including wires, masts, buildings, cell phone towers and wind turbines;
- (g) the predominant weather and environmental conditions for the area of operation; and
- (h) the horizontal distances from persons not involved in the operation

Operations at or in the Vicinity of an Aerodrome, Airport or Heliport

0


- 901.47 (1) No pilot shall operate a remotely piloted aircraft at or near an aerodrome that is listed in the Canada Flight Supplement or the Water Aerodrome Supplement in a manner that could interfere with an aircraft operating in the established traffic pattern.
- Subject to section 901.73 no pilot shall operate a remotely piloted aircraft at a distance of less than
 - O (a) three nautical miles from the centre of an airport; and
 - O (b) one nautical mile from the centre of a heliport.
- (3) No pilot shall operate a remotely piloted aircraft at a distance of less than three nautical miles from the centre of an aerodrome operated under the authority of the Minister of National Defence unless the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903 03.

Records


- 901.48 (1) Every owner of a remotely piloted aircraft system shall keep the following records:
 - O (a) a record containing the names of the pilots and other crew members who are involved in each flight and, in respect of the system, the time of each flight or series of flights and
 - (b) a record containing the particulars of any mandatory action and any other maintenance action, modification or repair performed on the system, including
 - (i) the names of the persons who performed them.
 - (ii) the dates they were undertaken,
 - (iii) in the case of a modification, the manufacturer, model and a description of the part or equipment installed to modify the system, and
 - (iv) if applicable any instructions provided to complete the work.
- (2) Every owner of a remotely piloted aircraft system shall ensure that the records referred to in subsection (1) are made available to the Minister on request and are retained for a period of
 - O (a) in the case of the records referred to in paragraph (1)(a), 12 months after the day on which they are created; and
 - O (b) in the case of the records referred to in paragraph (1)(b), 24 months after the day on which they are created.
- (3) Every owner of a remotely piloted aircraft system who transfers ownership of the system to another person shall, at the time of transfer, also deliver to that person all of the records referred to in paragraph (1)(b).



GFA Issue time + 00 hr - CLOUDS AND WEATHER




GFA Issue time + 00 hr - TURBULENCE, ICING AND FREEZING LEVEL






GFA Issue time + 06 hr - CLOUDS AND WEATHER




GFA Issue time + 06 hr - TURBULENCE, ICING AND FREEZING LEVEL






GFA Issue time + 12 hr - CLOUDS AND WEATHER



GFA Issue time + 12 hr - TURBULENCE, ICING AND FREEZING LEVEL





ELLIOT LAKE - CGB5 - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.



ELLIOT LAKE MUNICIPALITY - CYEL - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.



ALGOMA MILLS - CPN6 - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.



AIRD ISLAND - CRD8 - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.

CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 24 March 2022 to 0901Z 20 April 2023

AERODROME/FACILITY DIRECTORY B47

Ib acft will drag dock or moorings in 20 mph wind. 20 mph wind causes water depth of	EDMONTON	/ COOKING LAKE AB (Cont'd) CEE7
Ib acft will drag dock or moorings in 20 mph wind. 20 mph wind causes water depth o 1ft. Mid lake rock shoals marked with obst buoys. Adj land aprt circuit tfc in immediate	PRO	For VFR routes see Edmonton VTPC or as directed by ATC.
	CAUTION	Shallow water throughout lake, mud bottom and rocks close to surface in areas. 7000 lb acft will drag dock or moorings in 20 mph wind. 20 mph wind causes water depth of 1ft. Mid lake rock shoals marked with obst buoys. Adj land aprt circuit tfc in immediate vic. Check NOTAM. A/D has been clsd most months due to low water levels.

ELK LAKE	N RPAS			CNV5
REF	N47 43 38 W80 19 23 Adj E 12°W UTC-5(4) Elev 925' A5001 A5009	ELEV 925	Q t t	US 5 VI
OPR	Karl Wettlaufer 905-691-4466 Reg PPR		5 %	2800
PF	B-1 D-2,3,5 at adj land A/D		5 8)ŧ
FLT PLN FIC	London 866-WXBRIEF (Toll free wi hin Canada) or 866-541-4104 (Toll free within Canada & USA)	dock	aprt aprt	t Q t
SERVICES S	5 WILCO	t X	Jak Gi	CU
A/D DATA	Open water May-mid Nov. Depth 4', mooring.	1505 £ £	5 5	
COMM	tfc 123.2 5NM 3900 ASL	0 1 2	3 4	5 6000'
CAUTION	Lgtd twr 1505 ASL 1.2NM SW. Adj lan	d A/D.		

ELLIOT LAK	E ON	CGB	
REF	N46 23 54 W82 40 17 1.1NW 9°W (2021) UTC-5(4) Elev 990' A5000 A5001	TANDIUS 5 NAME & ELEV 990 & TO STANDING TO	
OPR	Glassy Bay Outfitters 705-843-1531 Reg PPR	2800	
PF	C-2,3,4,5		
FLT PLN FIC	London 866-WXBRIEF (Toll free wi hin Canada) or 866-541-4104 (Toll free within Canada & USA)	dock Sylvah	
SERVICES S	1,2,3,4,5	Elliot Lake	
A/D DATA	Open water mid May-end Oct. Shallow area aprx 1' deep 20' fr centre dock, marked with buoy.	0 1 2 3 4 5 600°	
COMM	tfc 123.0 5NM 4100 ASL		
PRO	Right hand circuits for westbound and s	ou hbound tkofs & ldgs (CAR 602.96).	
CAUTION		M E. Lgtd twr 1600 ASL (200 AGL) aprx 2NM beach S side of lake. Boat launch E of dock.	

ELLIOT LAK	E MUNI ON	CYEL
REF	N46 21 06 W82 33 40 4SE 9°W UTC-5(4) Elev 1086' A5001 A5000 LO4 CAP	ELEV 1086 77. 0 1337 0 1337 0 1 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
OPR	City 705-461-7222 1230-2100Z‡ Mon-Fri exc hols O/T 705-261-2611 Reg	Q / Q 2900
PF	B-1,6 C-2,3,4,5	antenna antenna
FLT PLN FIC WX	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) WxCam	Q Q t Q t Q t
SERVICES FUEL OIL	1230-2100Z‡ Mon-Fri exc hols. After hrs airside emerg phone on wall of ATB can be used. Call out chg after hrs. 100LL, JA-1 15W50, 20W50	Q t Q Q Depot Lake
RWY DATA RCR	Rwy 12(121°)/30(301°) 4495x100 aspha Opr	It Rwy 30 up 0.68%
LIGHTING	12-(TE ME) P2, 30-(TE ME) P2 PAP After hrs call out chg applies.	I activated with ARCAL-123.0 type K
COMM ATF PAL	UNICOM ltd hrs see opr O/T tfc 123.0 5 Toronto Ctr 135.4	5NM 4100 ASL
PRO	Rgt hand circuits Rwy 12 (CAR 602.96).	







CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 24 March 2022 to 0901Z 20 April 2023

B2 AERODROME/FACILITY DIRECTORY

ALGOMA MILLS ON

CPN6

		0.110
REF	N46 11 18 W82 49 28 Adj NW 9°W UTC-5(4) Elev 602' A5000 A5001	ELEV 602
OPR	Lauzon Aviation Co Ltd. 705-849-2389 Reg PPR	t Q t ROUS SAME
PF	B-1 C-2 D-3,4,5,6	Lauzon Bay 2400
FLT PLN FIC	London 866-WXBRIEF (Toll free wi hin Canada) or 866-541-4104 (Toll free within Canada & USA)	t ? 0
SERVICES S	5	
A/D DATA	Open water May-Oct. Beach, ramp.	8/10/10 8
COMM ATF	tfc 122.8 5NM 3600 ASL	0 1 2 3 4 5 6000'
CAUTION	Pvt. Use at own risk.	0000
ALLIFORD B	AY BC WILCO	CBE7

PF B-1 C-2,3,4,5,6 FLT PLN FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) COMM ATF tfc 123.2 5NM 3000 ASL See PRO section PRO Dock facilities for drop off only. Ctc Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.			
PF B-1 C-2,3,4,5,6 FLT PLN FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) COMM ATF tfc 123.2 5NM 3000 ASL See PRO section PRO Dock facilities for drop off only. Ctc Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.	REF		1
FLT PLN FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) COMM ATF tfc 123.2 5NM 3000 ASL See PRO section PRO Dock facilities for drop off only. Ctc Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.	OPR	, ,	+ Contraction () Kwuna Point
FLT PLN FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) COMM ATF tfc 123.2 5NM 3000 ASL See PRO section PRO Dock facilities for drop off only. Ctc Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.	PF	B-1 C-2,3,4,5,6	Ruch le
ATF tfc 123.2 5NM 3000 ASL See PRO section PRO Dock facilities for drop off only. Ctc Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.		within Canada) or 866-541-4101 (Toll	TC dock Ele
Dock facilities for drop off only. Ctc Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.			dock &
CAUTION Ferry tfc.	PRO	Terrace rdo 122.3 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply	0 1 2 3 4 5 6000'
	CAUTION	Ferry tfc.	








SOUTHEND	SK	CKP5
REF	N56 20 16 W103 17 02 2W 9°E (2012) UTC-6 Elev 1106' A5016 A5024	ELEV 1106
OPR	Lawrence Bay Airways Ltd 306-758-2060 Jun 1-Sep 30 701-262-4560 Oct 1-May 31 Reg	2800
PF	C-1,2,4 RPAS	Reindeer Lake
FLT PLN FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	dock the total to
SERVICES FUEL S	Avbl Jun 1-Sep 30 100LL 5	
A/D DATA	Open water mid May-mid Nov. Depth 10'. Rock & silt bottom.	0 2 4 6 8 10 12000
COMM	tfc 123.2 5NM 4200 ASL	RPAS NATIL CO
CAUTION	Lgtd twr 1475 ASL (170 AGL) 2.5NM W.	Use caution when Idg at village, cable spans

REF	N46 08 35 W82 24 52 4.3SW 9°W (2022) UTC-5(4) Elev 577' A5000 A5001
OPR	National Heritage Brands Inc 416-402-4800 Reg
FLT PLN FIC	London 866-WXBRIEF (Toll free wi hin Canada) or 866-541-4104 (Toll free within Canada & USA)
A/D DATA DOCKS	Open water April-Nov, depth 3-4'. Ski ops dur win months, no win maint. Dock, sandy beach.
COMM	tfc 122.8 5NM 3600 ASL

across channel. Adj land A/D.

SPANISH/AIRD ISLAND ON



SPARROW LAKE ON - See PORT STANTON / SPARROW LAKE

SPIRIT BAY ON - See LAKE MUSKOKA / SPIRIT BAY

Rough water in W winds.



CAUTION



