

Created using **RPAS Wilco**®

Operation Name:

Pilot Name:

Pilot Certificate:

Flight Start:

Flight End:

Flight Area (Latitude):

Flight Area (Longitude):

Altitude - Radius:

Airspace:

FIR - Contact:

Weather:

winkler

March 8, 2023 4:19 PM

March 8, 2023 6:19 PM

49° 12' 51.10" N (49.214)

97° 55' 57.70" W (-97.933)

Alt: 700 ft - Rad: 926.0 m (0.5 nm)

UNCONTROLLED

CZWG - 204-983-8338

-12.6 Celsius - Snow, Overcast

Please ensure you received all required authorizations prior to flight.

Disclaimer

This Site Survey was created using RPAS Wilco by AIM Robotics. The flight plan contained is intended only for RPAS flights on the date/time and location specified. The user accepts all responsibility for the accuracy and completeness of the information contained.

For the complete Terms & Conditions, see

https://rpaswilco.com/#/tnc

Included |

Site Survey

Obstacles (if available)

Nearby Aerodromes

Canadian Aviation Regulations

GFA

Aerodrome Supplements

METAR & TAF (if available)

NOTAMs

CFS



Flight Map




MAP Details

	Latitude	Longitude
MODEL	49° 12' 51.10" N (49.214)	97° 55' 57.70" W (-97.933)
Pilot	49° 12' 54.70" N (49.2152)	97° 56' 1.30" W (-97.9337)



Airspace Classification



Overlying Airspaces

	Class	Name	Floor	Ceiling
Е		Winnipeg, MB CAE	7000MSL	12500MSL
В		Winnipeg, MB CAE	12500MSL	18000MSL

Nearest Aerodromes & Distance from Operation

WINKLER (CKZ7 AERODROME Reg)	Lat: 49.171 Long: 97.92 4.891 KM 2.64 NM
MORDEN REGIONAL (CJA3 AERODROME Reg)	Lat: 49.21 Long: 98.06 9.259 KM 5.0 NM
ROLAND (GRAHAM FIELD) (CKD7 AERODROME Reg)	Lat: 49.408 Long: 97.991 21.961 KM 11.86 NM
CARMAN (SOUTH) (CJS7 AERODROME Reg)	Lat: 49.48 Long: 98.016 30.166 KM 16.29 NM

Weather Information for Mission Day

Summary: Cloudy skies throughout the day with early morning snow.

Condition	Temperature	Feels Like	Precipitation	Visibility	Cloud Coverage	Wind Speed	Humidity
Snow, Overcast	12.6 Celsius	20.7 Celsius	100.0 %	12.8 Km	93.1 %	24.5 kph	76.7 %

Canadian Aviation Regulations

Division III — General Operating and Flight Rules

For full listing please visit https://laws-lois.justice.gc.ca/eng/regulations/SOR-96-433/FullText.html#s-901.27

Visual Line-of-sight

- 901.11 (1) Subject to subsection (2) no pilot shall operate a remotely piloted aircraft system unless the pilot or a visual observer has the aircraft in visual line-of-sight at all times during flight.
- (2) A pilot may operate a remotely piloted aircraft system without the pilot or a visual observer having the aircraft in visual line-of-sight if the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903.03.

Procedures

- 901.23 (1) No pilot shall operate a remotely piloted aircraft system unless the following procedures are established:
 - O (a) normal operating procedures, including pre-flight, take-off, launch, approach, landing and recovery procedures; and
 - O (b) emergency procedures, including with respect to
 - (i) a control station failure,
 - (ii) an equipment failure.
 - (iii) a failure of the remotely piloted aircraft,
 - (iv) a loss of the command and control link,
 - (v) a fly-away, and
 - (vi) flight termination.
- (2) If the manufacturer of the remotely piloted aircraft system provides instructions with respect to the topics referred to in paragraphs (1)(a) and (b), the procedures established under subsection (1) shall reflect those instructions.
- (3) No pilot shall conduct the take-off or launch of a remotely piloted aircraft unless the procedures referred to in subsection (1) are reviewed before the flight by, and are immediately available to, each crew member.
- (4) No pilot shall operate a remotely piloted aircraft system unless the operation is conducted in accordance with the procedures referred to in subsection (1).

Site Survey

901.27 No pilot shall operate a remotely piloted aircraft system unless, before commencing operations, they determine that the site for take-off, launch, landing or recovery is suitable for the proposed operation by conducting a site survey that takes into account the following factors:

- (a) the boundaries of the area of operation;
- (b) the type of airspace and the applicable regulatory requirements;
- (c) the altitudes and routes to be used on the approach to and departure from the area of operation;
- (d) the proximity of manned aircraft operations;
- (e) the proximity of aerodromes, airports and heliports;
- (f) the location and height of obstacles, including wires, masts, buildings, cell phone towers and wind turbines;
- (g) the predominant weather and environmental conditions for the area of operation; and
- (h) the horizontal distances from persons not involved in the operation

Operations at or in the Vicinity of an Aerodrome, Airport or Heliport

0


- 901.47 (1) No pilot shall operate a remotely piloted aircraft at or near an aerodrome that is listed in the Canada Flight Supplement or the Water Aerodrome Supplement in a manner that could interfere with an aircraft operating in the established traffic pattern.
- Subject to section 901.73 no pilot shall operate a remotely piloted aircraft at a distance of less than
 - O (a) three nautical miles from the centre of an airport; and
 - O (b) one nautical mile from the centre of a heliport.
- (3) No pilot shall operate a remotely piloted aircraft at a distance of less than three nautical miles from the centre of an aerodrome operated under the authority of the Minister of National Defence unless the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903 03.

Records


- 901.48 (1) Every owner of a remotely piloted aircraft system shall keep the following records:
 - O (a) a record containing the names of the pilots and other crew members who are involved in each flight and, in respect of the system, the time of each flight or series of flights and
 - (b) a record containing the particulars of any mandatory action and any other maintenance action, modification or repair performed on the system, including
 - (i) the names of the persons who performed them.
 - (ii) the dates they were undertaken,
 - (iii) in the case of a modification, the manufacturer, model and a description of the part or equipment installed to modify the system, and
 - (iv) if applicable any instructions provided to complete the work.
- (2) Every owner of a remotely piloted aircraft system shall ensure that the records referred to in subsection (1) are made available to the Minister on request and are retained for a period of
 - O (a) in the case of the records referred to in paragraph (1)(a), 12 months after the day on which they are created; and
 - O (b) in the case of the records referred to in paragraph (1)(b), 24 months after the day on which they are created.
- (3) Every owner of a remotely piloted aircraft system who transfers ownership of the system to another person shall, at the time of transfer, also deliver to that person all of the records referred to in paragraph (1)(b).



GFA Issue time + 00 hr - CLOUDS AND WEATHER




GFA Issue time + 00 hr - TURBULENCE, ICING AND FREEZING LEVEL






GFA Issue time + 06 hr - CLOUDS AND WEATHER




GFA Issue time + 06 hr - TURBULENCE, ICING AND FREEZING LEVEL






GFA Issue time + 12 hr - CLOUDS AND WEATHER



GFA Issue time + 12 hr - TURBULENCE, ICING AND FREEZING LEVEL





WINKLER - CKZ7 - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

(G0033/23 NOTAMR G2417/22
Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
A) CZWG CZYZ B) 230111838 C) 2304121800EST
E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.

AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.



MORDEN REGIONAL - CJA3 - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.



NOTAM

Flight Plan & Site Survey

ROLAND (GRAHAM FIELD) - CKD7 - Reg

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.



CARMAN (SOUTH) - CJS7 - Reg

NOTAM

(G0033/23 NOTAMR G2417/22

- (G0033/23 NOTAMR G2417/22
 Q) CZXX/QDECH/IV/NBO/E/000/999/5518N09358W999
 A) CZWG CZYZ B) 230111838 C) 2304121800EST
 E) A ACFT, REGARD ESS OF THE STATE OF REGISTRY, DIRECT Y OR INDIRECT Y OWNED, CHARTERED, EASED, OPERATED OR OTHERWISE CONTRO ED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BE ARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE AWS OF THE RUSSIAN FEDERATION OR BE ARUS, AND A OPERATORS HO DING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BE ARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERF Y CANADA'S TERRITORIA AIRSPACE (INC UDING F T WITHIN 12NM OF CANADA'S COASTS).
 EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INF IGHT EMERG.
- AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.

WINKLER MB CKZ7

	_	
REF	N49 10 14 W97 55 12 1SE 4°E (2015) UTC-6(5) Elev 890' A5007 LO4 RCAP	ELEV 890 F
OPR	City 204-325-9524 Reg	
PF c	B-1 C-2,3,4,5	2708
CUST	AOE/CAN RPAS	W W
FLT PLN FIC	Pilots to open/close VFR fit plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	2400 Toltchill Units State
SERVICES FUEL OIL S	100LL, Jet A-1 204-325-7206 All 2,3,4,5,6 Jace Aviation 204-362-4675	
RWY DATA RCR	Rwy 09(086°)/27(266°) 2708x75 GRAS Rwy 17(176°)/35(356°) 1540x75 GRAS Opr Ltd win maint	

RWY DATA RCR	Rwy 09(086°)/27(266°) 2708x75 GRASS/ASPH, centre 28' ASPH Rwy 17(176°)/35(356°) 1540x75 GRASS Opr Ltd win maint	
LIGHTING	09-(TE LO), 27-(TE LO) SS-SR only 2700' lit.	
COMM	UNICOM itd hrs O/T tfc 123.0 5NM 3900 ASL	
PRO	Rgt hand circuits Rwy 09 (CAR 602.96).	



















MORDEN REGIONAL MB

CJA3

MOKDEN KE	GIONAL MB	CJA3	
REF	N49 12 38 W98 03 38 2NE 4°E (2014) UTC-6(5) Elev 957' A5007 LO4 RCAP	ELEV 957	
OPR	Town 204-822-4434 Reg	200	
PF	A-1 C-2,3,4,5,6	81 2400	
FLT PLN FIC	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	36 3937	
SERVICES FUEL OIL S	100LL, JA 204-325-3217 All 1,2,3,4,5	ŧ	
RWY DATA RCR	Rwy 10(102°)/28(282°) 3937x75 ASPH Rwy 18(176°)/36(356°) 2089x100 GRAS Opr Ltd win maint Rwy 10/28, no win n		
LIGHTING	10-(TE LO), 28-(TE LO) ARCAL-123.0 type J		
COMM	tfc 123.0 5NM 4000 ASL	111200	
PRO	Std circuit hgt 2000 ASL. Ultralight circuit hgt 1500 ASL		



















DOLAND

ROLAND (GRAHAM FIELD) MB

ROLAND (GR	WHAM FIELD) MB	CKD/
REF	N49 24 30 W97 59 26 4NW 4°E (2014) UTC-6(5) Elev 865' aprx VTA A5007	ELEV 865'APRX
OPR	J.A. Graham 204-745-6000 Reg PPR	∀ Zīq = -
PF (B-1 D-2,3,4,5,6	
FLT PLN FIC	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	2400 2400
RWY DATA RCR	Rwy 17(172°)/35(352°) 3500x70 GRASS Opr Ltd win maint	15 - 25 - 15 - 55 - 5 - 5 - 5 - 5 - 5 - 5 - 5
COMM ATF	Roland tfc 123.2 5NM 3900 ASL	
PRO		operating in Winnipeg Class C CZ or TCA ch must be obtained by filing a flt plan, flt 84-5979 at least 15 min prior to entering.
CAUTION	Trees 350' S of thid Rwy 35	WILCO



















CARMAN (SOUTH) MB

CJS7

CARIVIAIV (80	DOTH) MIB	GJS/	
REF	N49 28 49 W98 00 57 2S 5°E UTC-6(5) Elev 876' VTA A5007	ELEV 876 ditch	
OPR	Carman/Dufferin Aprt Commission 204-745-0426, 204-750-0770 Reg	Carman/ Friendship Field	
PF c	C-2,4,5,		
FLT PLN FIC	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	8 2600' % ℃ O	
SERVICES FUEL	PN Opr 100LL	6 6 m	
RWY DATA RCR	Rwy 08(085°)/26(265°) 2600x125 GRASS Opr Ltd win maint		
LIGHTING	08-(TE LO), 26-(TE LO), TE Rwy 26 non-std. O/R PN ARCAL-123.2 type J		
COMM ATF	tfc 123.2 5NM 3900 ASL		
PRO	Twy E of Thld 26. Mode C Transponder N C CZ or TCA require a discrete transpon	Circuit hgt 2000 ASL. Do not land or tkof on Alandatory - Acft operating in Winnipeg Class der code which must be obtained by filing a CC 204-984-5979 at least 15 min prior to	
CAUTION	Lgtd twr 45 AGL aprx 0 3NM E thid Rwy 26. Lgtd twr 250 AGL aprx 1.2NM SSE A/D. Lgtd twr 260 AGL aprx 3NM ENE A/D.		





