Dorset Model Aviators Rules

Administrative

We are a small club, the executive is selected based on volunteers at this point. When the membership reaches 10 or more elections will be announced and held for the following positions: President/Safety, Treasurer/Secretary.

For the time being Ark Skupien #18056 volunteered to perform the President and safety functions.

A copy of these rules must be available to all RPAS pilots while at the site, either electronically or in print. The club will endeavour to provide copies.

Normal Operating Procedures and Club Safety Rules

- 1. For the time being we are a fixed wing amphibian aircraft flying and indoor flying club.
- 2. Pilot stations are ether personal boats or shared boat between several pilots or private docks. All boats that are off power are to be safely anchored with a safe gap between them.
- 3. Model assembly is up to individuals as long as it does not interfere with the operation of others flying.
- 4. Batteries shall not be connected to electric models unless the model is restrained.
- 5. The direction of take-off, landing, and traffic pattern will be determined by the prevailing winds. If no wind, call it out but try to have your back to the sun.
- 6. Our flying areas is centered on a launch boat anchored in Minden Bay, as close to the supplied coordinates as possible. All flying is in and around the "pilot station boat" as described by site flying area maps. RPAS pilots shall ensure they keep their RPA at least 30m away from docks and other boats.
- 7. Recovery of RPA that land/crash and need pickup will be done in agreement with any pilots flying.
- 8. A fire extinguisher must be present for all powered RPA operation.
- 9. Pilots may fly in formation provided they agree to do so. There is no limit on number of airborne RPA.
- 10. If there is an accident requiring emergency services, cellular service is adequate to call local emergency services. The civic address should be your dock address.

The flying site on Minden Bay / Lake Kawagama operates within 3nm of a registered aerodrome, see map.

- 11. The aerodrome name is DORSET/KAWAGAMA LAKE (SOUTH) ON, CDK3 and it is centered 0.8 nm N E of this site.
- 12. The aerodrome has a single operator, Mike Wiebe 905 520-8500. The club executive has contacted the operator (OPR) of CDK3, and they have expressed no issues with our RPAS site, if we obey our flying rules.
- 13. There are no special CFS RPA procedures and no other CFS PRO comments that affect our modelling site.
- 14. RPA pilots must always give way to all other traditional aircraft.
- 15. If any aircraft is entering the space, safely land your RPA as soon as possible and only resume when safe.
- 16. In the event of a "fly-away" towards north east, you may call the aerodrome operator and advise them.
- 17. Our site is in uncontrolled airspace so there is no need to notify ATC with respect to fly-away.
- 18. No RPA or other model aircraft flying will occur if the weather and visibility are not ideal.
- 19. If you can see the cell phone towers 2nm south east on hilltop, flying is normally permitted.
- 20. There are no other risk mitigating strategies required at Dorset Model Aviators Club flying sites.

21. The Club executive will review these rules at least once a year.





Nearest Aerodromes & Distance from Operation KAWAGAMA LAKE (SOUTH) (CDK3 WATERDROME Reg) Lat: 45.264 Long: 78.792 1.46 KM 0.79 NM HALMINEN (CHM3 WATERDROME Reg) Lat: 45.195 Long: 78.675 11.783 KM 6.36 NM DWIGHT (CNF8 AERODROME Reg) Lat: 45.313 Long: 78.975 15.16 KM 8.19 NM

DORSET / K	AWAGAMA LAKE (SOUTH) ON	CDK3
REF	N45 15 50 W78 47 32 4.5ENE 11°W (2012) UTC-5(4) Elev 1165' A5000	ELEV 1165
OPR	Mike Wiebe 905-520-8500 Reg PPR	Kawagama Lake
PF	C-1,2 D-4,5 RPAS	50 10
FLT PLN FIC	London 866-WXBRIEF (Toll free wi hin Canada) or 866-541-4104 (Toll free within Canada & USA)	e Q t t dock t t e dock t t e Q t t dock t t Q t t e Q t t t Q t t t D t t D t t D t T D t T D t T D t T D t T D t D t T D t D t D t D t D t D t D t D t D t D t
A/D DATA	Open water May-Nov. Water depth min 4' at dock. Sand beach in front, and on nor h side of bay behind dock.	
сомм		1 / / / E =
ATF	tfc 123.2 5NM 4200 ASL	
	Wind from NW may bring downdrafts across nearby hill. Numerous watercraft Jul-Aug. Windsock may not indicate east winds accurately.	WILCO