

Flight Plan & Site Survey

Created using **RPAS Wilco**®

Operation Name: Pilot Name: Pilot Certificate: Flight Start: Flight End: Flight Area (Latitude): Flight Area (Longitude): Altitude - Radius: Airspace: FIR - Contact:

Tamney PFS

December 10, 2023 11:38 AM December 10, 2023 1:38 PM 52° 13' 40.02" N (52.228) 106° 24' 23.63" W (-106.407) Alt: 600 ft - Rad: 926.0 m (0.5 nm) UNCONTROLLED CZWG - 204-983-8338

Please ensure you received all required authorizations prior to flight.

Disclaimer

This Site Survey was created using RPAS Wilco by AIM Robotics. The flight plan contained is intended only for RPAS flights on the date/time and location specified. The user accepts all responsibility for the accuracy and completeness of the information contained.

For the complete Terms & Conditions, see

https://rpaswilco.com/#/tnc


Included

Site Survey Obstacles (if available) Nearby Aerodromes Canadian Aviation Regulations GFA Aerodrome Supplements -METAR & TAF (if available) -NOTAMs -CFS



Flight Plan & Site Survey

Flight Map



MAP Details

Latitude

52° 13' 43.62" N (52.2288)



Pilot

52° 13' 40.02" N 10 (52.228) (

106° 24' 23.63" W (-106.407)


Longitude

106° 24' 27.23" W (-106.4076)



Flight Plan & Site Survey

Airspace Classification



Overlying Airspaces

Class	Name	Floor	Ceiling
E	Saskatoon/John G. Diefenbaker Intl, SK TA	700AGL	12500MSL
В	Saskatoon/John G. Diefenbaker Intl, SK TA	12500MSL	18000MSL
E	Saskatoon XPNDR MANDTRY	2900MSL	3900MSL
E	Saskatoon, SK CAE XPNDR MANDTRY	3900MSL	12500MSL
В	Saskatoon, SK CAE XPNDR MANDTRY	12500MSL	18000MSL

Nearest Aerodromes & Distance from Operation

RICHTER FIELD (CRF5 - AERODROME - Reg)	Lat:	Long:	19.757	10.67
	52.28	-106.684	KM	NM
JOHN G. DIEFENBAKER INTL (CYXE - AERODROME - Cert)	Lat: 52.171	Long: -106.7	20.972 KM	11.32 NM
SASKATOON (JIM PATTISON CHILDREN'S HOSPITAL) (CJP4 - HELIPORT		Long:	19.321	10.43
- Cert)		-106.643	KM	NM
BANGA AIR (CJN5 - AERODROME - Reg)	Lat:	Long:	25.51	13.77
	52.001	-106.463	KM	NM

Canadian Aviation Regulations

Division III — General Operating and Flight Rules

0

For full listing please visit : https://laws-lois.justice.gc.ca/eng/regulations/SOR-96-433/FullText.html#s-901.27

Visual Line-of-sight

- 901.11 (1) Subject to subsection (2), no pilot shall operate a remotely piloted aircraft system unless the pilot or a visual observer has the aircraft in visual line-of-sight at all times during flight.
- (2) A pilot may operate a remotely piloted aircraft system without the pilot or a visual observer having the aircraft in visual line-of-sight if the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903.03.

Procedures

- 901.23 (1) No pilot shall operate a remotely piloted aircraft system unless the following procedures are established:
 - O (a) normal operating procedures, including pre-flight, take-off, launch, approach, landing and recovery procedures; and
 - (b) emergency procedures, including with respect to
 - (i) a control station failure,
 - (ii) an equipment failure,
 - (iii) a failure of the remotely piloted aircraft,
 - (iv) a loss of the command and control link,
 - (v) a fly-away, and
 - (vi) flight termination.
- (2) If the manufacturer of the remotely piloted aircraft system provides instructions with respect to the topics referred to in paragraphs (1)(a) and (b), the procedures established under subsection (1) shall reflect those instructions.
- (3) No pilot shall conduct the take-off or launch of a remotely piloted aircraft unless the procedures referred to in subsection (1) are reviewed before the flight by, and are immediately available to, each crew member.
- (4) No pilot shall operate a remotely piloted aircraft system unless the operation is conducted in accordance with the procedures referred to in subsection (1).

Site Survey

901.27 No pilot shall operate a remotely piloted aircraft system unless, before commencing operations, they determine that the site for take-off, launch, landing or recovery is suitable for the proposed operation by conducting a site survey that takes into account the following factors:

- (a) the boundaries of the area of operation;
- (b) the type of airspace and the applicable regulatory requirements;
- (c) the altitudes and routes to be used on the approach to and departure from the area of operation;
- (d) the proximity of manned aircraft operations;
- (e) the proximity of aerodromes, airports and heliports;
- (f) the location and height of obstacles, including wires, masts, buildings, cell phone towers and wind turbines;
- (g) the predominant weather and environmental conditions for the area of operation; and
- (h) the horizontal distances from persons not involved in the operation.

Operations at or in the Vicinity of an Aerodrome, Airport or Heliport

- 901.47 (1) No pilot shall operate a remotely piloted aircraft at or near an aerodrome that is listed in the Canada Flight Supplement or the Water Aerodrome Supplement in a manner that could interfere with an aircraft operating in the established traffic pattern.
 - (2) Subject to section 901.73, no pilot shall operate a remotely piloted aircraft at a distance of less than
 - O (a) three nautical miles from the centre of an airport; and
 - O (b) one nautical mile from the centre of a heliport.
 - (3) No pilot shall operate a remotely piloted aircraft at a distance of less than three nautical miles from the centre of an aerodrome operated under the authority of the Minister of National Defence unless the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903.03.

Records

- 901.48 (1) Every owner of a remotely piloted aircraft system shall keep the following records:
 - O (a) a record containing the names of the pilots and other crew members who are involved in each flight and, in respect of the system, the time of each flight or series of flights; and
 - O (b) a record containing the particulars of any mandatory action and any other maintenance action, modification or repair performed on the system, including
 - (i) the names of the persons who performed them,
 - (ii) the dates they were undertaken,
 - (iii) in the case of a modification, the manufacturer, model and a description of the part or equipment installed to modify the system, and
 - (iv) if applicable, any instructions provided to complete the work.
- (2) Every owner of a remotely piloted aircraft system shall ensure that the records referred to in subsection (1) are made available to the Minister on request and are retained for a period of

 (a) in the case of the records referred to in paragraph (1)(a), 12 months after the day on which they are created; and
 - O (b) in the case of the records referred to in paragraph (1)(b), 24 months after the day on which they are created.
- (3) Every owner of a remotely piloted aircraft system who transfers ownership of the system to another person shall, at the time of transfer, also deliver to that person all of the records referred to in paragraph (1)(b).

ALL COM

SASKATCHEWAN

AERODROME/FACILITY DIRECTORY

SASKATOON / RICHTER FIELD SK

REF	N52 16 49 W106 41 02 6N 11°E (2013) UTC-6 Elev 1700' A5006 A5015		
OPR	Frank Richter 306-384-3975 Reg PPR		
FLT PLN FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)		
PF	C-1,2,4,5		
SERVICES FUEL S	100LL 1,4,5		
RWY DATA RCR	Rwy 08(079°)/26(259°) 3000x75 GRASS/GRVL/CLAY, Rwy 08 100x25 CONC pad at thld Opr Ltd win maint		
COMM ATF	tfc 123.2 5NM 4700 ASL excluding port	ion within CYXE CZ	
PRO	Rgt hand circuits Rwy 08 (CAR 602.96)		



CRF5





WILCO








SASKATCHEWAN

AERODROME/FACILITY DIRECTORY

SASKATOON / JOHN G. DIEFENBAKER INTL SK

CYXE




S 1,2,3,4,5,6
 ARFF DESIGNATED CAT 6 (CAT 7 30 min PN). Discrete emerg freq 122.675
 SUP FL LHOX D & A-ice
 JASU CE16
 PVT ADV Kreos Aviation/Shell 122.95 12-04Z; Lockhart Aviation/World Fuel 122.85 12-04Z
 MIL CON Depmar Flight Holdings Inc (Shell) 306-931-8552



CANADA FLIGHT SUPPLEMENT / GPH 205 Effective 0901Z 30 November 2023 to 0901Z 25 January 2024

SASKATOO	N / JOHN G. DIEFENBAKER INTL SK (Cont'd) CYX
RWY DATA	Rwy 09(090°)/27(270°) 8300x148 ASPH Rwy 15(150°)/33(330°) 6200x148 ASPH RESA: All Rwys 492'
RWY CERT	Rwy 09 RVR 1200(1/4sm)/Rwy 27 RVR 1200(1/4sm) AGN IIIB Rwy 15 RVR 1200(1/4sm)/Rwy 33 RVR 1200(1/4sm) AGN IIIB
TWY	Twy A and Twy C discretionary oversteer rqrd for all acft at intxn of Twy A and Apro II, intxn of Twy A/C and Apron IV, intxn of Twy C and Apron III. Twy C uncontrolled Twy B adj to Apron I uncontrolled. A310, A330, B757 & B767: 120° turns at intxn Twy B & A proh.
APRON	Prkg Apron I rstd to scheduled & non-scheduled airline tfc. 2 hr PN for gate assignment on Apron I, ctc opr. All other itinerant acft must park on Apron II. Apron VIII rstd to scheduled & non-scheduled airline tfc. 2 hr PN for gate assignmen on Apron VIII, ctc opr. No taxiing btwn Apron I and Apron VIII.
RCR	Opr or 306-975-4328 CRFI, PLR/PCN
LIGHTING	09-AN(TE HI) P3, 27-AN(TE HI) P3, 15-AO(TE HI) P2, 33-AO(TE HI) P2. Nominal touchdown pt P2 Rwy 15 aprx 1200´S of thId Rwy 15.
СОММ	(a) (b)
RADIO	Saskatoon 118.3 PTC avbl (E) 0445-1200Z Mon-Fri Mar 09-Oct 31, 0445-1245 Sat-Sun Mar 09-Oct 31, 0445-1245Z Nov 1- Mar 8 (emerg only 306-665-4249)
RCO	Edmonton rdo 122.375 (FISE) 126.7 (bcst)
ATIS	128.4
GND	Saskatoon 121.9 1200-0445Z Mon-Fri Mar 09-Oct 31, 1245-0445Z Sat-Sun Mar 09-Oct 31, 1245-0445Z Nov 1- Mar 8
TWR	Mar 09-Oct 31, 1245-0445Z Nov 1- Mar 8 (emerg only 306-665-4249)
MF	rdo 118.3 0445-1200Z Mon-Fri Mar 09-Oct 31, 0445-1245Z Sat-Sun Mar 09-Oct 37 0445-1245Z Nov 1- Mar 8 5NM 5000 ASL (CAR 602.98)
ARR	Saskatoon 119.9
DEP	Saskatoon 119.9
	Winnipeg Ctr 134.325
NAV	
DME	SASKATOON YSR 114.7 Ch 94 N52 10 45 W106 42 49 (1673') IST 109.9 (Rwy 09) RVR LOC reliable only within 10° either side of centreline.
PRO	Rgt hand circuits Rwys 15 & 27 (CAR 602.96). Arr/dep as depicted on VTPC to/fr CYA 306T. Reduced Visibility Procedures (RVR less than 2600 to 1200 ft): See CAP ATS PPR REQUIREMENTS: Ctc Winnipeg ACC 204-984-5979 for the following; - IFR tng and photo survey within Saskatoon Class E Transponder Airspace
CAUTION	Random radiosonde &/or heavy balloon launches aprx 15 NM SW, at abandoned A/l Vanscoy. Ocsl parajump activity within 1NM of Martensville (N52 16 50 W106 41 08 6.6NM N aprt), davlight hrs activated by NOTAM. Max alt 11.600 ASL.





SASKATCHEWAN

AERODROME/FACILITY DIRECTORY

SASKATOON (JIM PATTISON CHILDREN'S HOSPITAL) SK (Heli)

CJP4





N52 07 55 W106 38 33 Adj E 11°E (2013) UTC-6 Elev 1758' A5006 A5015		
Saskatchewan Health Authority 306-655-0683 Cert PPR		
A-1,2,4,7,8 C-3,5,6		
Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)		
FATO 86' dia non-supporting TLOF 57' dia CONC Safety Area 115' dia 17,000 lbs Max heli overall length 57.4' Support services 306-844-1601		
RY (LO) yellow LED		
Edmonton rdo 122.375 (FISE) 126.7 (bcst) rdo 118.3 (E) See Saskatoon/John G. Diefenbaker Intl MF for details.		
RO Arr/dep 339° to 004° fr heli, slope 8% (H3), day/night use. Arr/dep 254° to 215° curved fr heli, slope 8% (H3), day/night use.		
Lgtd hosp elevator penthouse aprx 69' W of heli. Lgtd hosp signage on the N bldg wa BLW heli elev.		





WILCO







CANADA FLIGHT SUPPLEMENT / GPH 205 Effective 0901Z 30 November 2023 to 0901Z 25 January 2024

SASKATCHEWAN

AERODROME/FACILITY DIRECTORY

SASKATOON / BANGA AIR SK

REF	N52 00 02 W106 27 45 10SE 11°E (2012) UTC-6 Elev 1690´ A5006 A5015	RADIUS 5 VIL . ELEV	1690
OPR	Banga International Air Ltd 306-612-1227 Reg PPR	3300	\subseteq
PF	C-1,2,5 D-3,4,6	00	01
FLT PLN FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)		
RWY DATA RCR	Rwy 09(093°)/27(273°) 2600x70 earth Thld 27 displ 200´ Opr No win maint		
COMM	tfc 122.8 5NM 4700 ASL		
PRO	Circuit hgt 2400 ASL. Aprt in close prox VNC. For flt info ctc TWR 118.3.	mity to Saskatoon Class E airspace, se	ee
CAUTION	Extv ultra-light & NORDO acft in vic	WILCO	



CJN5





WILCO





