

Created using **RPAS Wilco**®

Reference No: Title: Pilot Name: Pilot Certificate: Flight Start: Flight End: Flight Address: Flight Area (Latitude): Flight Area (Longitude): Altitude - Radius: Classification: FIR - Contact:

540B0E

Zone A (928) NORTHERN ALBERTA FPV LEAGUE-Veterans Association

Food Bank (Edmonton)

Alain Carpentier

PC2306520264

September 16, 2025 11:37 AM

September 16, 2025 1:37 PM

Lat: 53.559959488340105 Lng: -113.64110583411217

53° 33' 35.24" N (53.56)

113° 38' 26.65" W (-113.641)

Alt: 400 ft - **Rad:** 100 m (0.05 nm)

UNCONTROLLED

CZEG - 780-890-8397

Please ensure you received all required authorizations prior to flight.

Disclaimer

This Site Survey was created using RPAS Wilco by AIM Robotics. The flight plan contained is intended only for RPAS flights on the date/time and location specified. The user accepts all responsibility for the accuracy and completeness of the information contained.

For the complete Terms & Conditions, see

https://rpaswilco.com/#/tnc

Included

Site Survey

Obstacles (if available)

Nearby Aerodromes

Canadian Aviation Regulations

Aerodrome Supplements

-METAR & TAF (if available)

-NOTAMs

-CFS

RPAS WILCO

FlySafe Kit

for recreational pilots

\$299

BUY NOW

FOR **2026** & GET

THE REST OF 2025

FREE

















Flight Map



RPAS Specification


- Manufacturer: MAAC
- Model: MODEL AIRPLANE
- Registration Number: C-2315325447
- Eligible for advanced operations:
- Manufacturer RPAS safety assurance:
 - Controlled Airspace: Yes
 - Near People: N/A
 - Over People: N/A

Mission Location Details

Latitude Longitude MODEL 53° 33′ 35.24" N 113° 38′ 26.65" W (-113.641) Pilot 53° 33′ 39.45" N 113° 38′ 31.58" W Alain Carpentier (53.561) (-113.6421)



Airspace Classification



Overlying Airspaces

Class	Name	Floor	Ceiling
E	T747 Airway	2200AGL	12500MSL
В	T747 Airway	12500MSL	18000MSL
E	Edmonton, AB TA XPNDR MANDTRY	3000MSL	4100MSL
C	Edmonton, AB TCA	4100MSL	4600MSL
C	Edmonton, AB TCA	7000MSL	9500MSL
C	Edmonton, AB TCA	4600MSL	7000MSL
E	T639 Airway	2200AGL	12500MSL
В	T639 Airway	12500MSL	18000MSL
E	T682 Airway	2200AGL	12500MSL
В	T682 Airway	12500MSL	18000MSL
В	Edmonton, AB TCA	12500MSL	18000MSL
С	Edmonton, AB TCA	9500MSL	12500MSL
E	Edmonton, AB CAE	12500MSL	12500MSL
В	Edmonton, AB CAE	12500MSL	18000MSL

Nearest Aerodromes & Distance from Operation

FDMONTON (CTTY) (CCF/ - HFTTPORT - Cart)	Lat: 53.536	Long: -113.664	3.059KM	1.65NM SV	W
MISERICORDIA (COMMUNITY HOSPITAL) (CMC2 - HELIPORT - Cert)	Lat: 53.52	Long: -113.611	4.841KM	2.61NM SI	E
	Lat: 53.52	Long: -113.522	9.007KM	4.86NM SI	E
	Lat: 53.558	Long: -113.496	9.562KM	5.16NM E	
STURGEON COMMUNITY HOSPITAL (CSA3 - HELLPORT - Cart)	Lat: 53.655	Long: -113.627	10.626KM	5.74NM N	

CAUTION

EDMONTON	(CITY) AB (Heli)	CCE7	
REF	N53 32 09 W113 39 49 Adj WSW 15°E (2017) UTC-7(6) Elev 2254' VTA A5015	ELEV 2254	
OPR	City of Edmonton 780-496-6903 Cert PPR Heli clsd Oct 15-Apr 1	ARR/DEP M	
PF	C-1,2,3,4,5,6,7,8	0872	
FLT PLN FIC	Edmonton 866-WXBRIEF (Toll free		
	within Canada) or 866-541-4102 (Toll free within Canada & USA)	course &	
SERVICES			
FUEL S	JA-1 PN 4 PN		
HELI DATA	FATO/TLOF 86' dia GRASS Safety Area 115' dia Max heli overall length 57.4' Parking Pad A: 69' dia GRASS Max heli overall length 57.4' Parking Pad B: 51' dia GRASS Max heli overall length 42.7' Opr 780-983-1446 Daylight hrs		
COMM ATF TML	tfc 123.2 2NM below 4100 ASL Edmonton 127.4 4100 ASL and above		
PRO	Arr/dep curved 023° to 345° fr heli, slope to 087° fr heli, slope 8% (H3), day use of	8% (H3), day use only. Arr/dep curved 023° only.	


Barn on E side of heli. Marked p-line W of heli. 7' perimeter fence.


Edmonton City Area in Class G and E airspace.

EDMO	NOTI	/ MISERICORDIA (COMMUNITY HOSP)	AB (Heli)	CMC2
REF		N53 31 13 W113 36 40 15°E (2016) UTC-7(6) Elev 2215′ VTA A5015	ËLEV 2215	
OPR		Covenant Health 780-735-2200 Cert PPR	Hospital	
PF		B-1,3,4 C-2,5,6		
FLT PLI	FIC	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada or 866-541-4102 (Toll free within Canada & USA) Edmonton IFR 888-358-7526		À X X X X X X X X X X X X X X X X X X X
HELI DA	ATA RCR	FATO 86' dia CONC TLOF 33' dia CONC Safety Area 115' dia Max heli overall length 57.4 Opr	연 호 경 * 전 * 전 * 전 * 전 * 전 * 전 * 전 * 전 * 전 *	
LIGHTIN	NG	DR RW(LO) RF(FH) ARCAL-123.21	уре К	
COMM	ATF TML	tfc 123.2 2NM below 4100 ASL Edmonton 127.4 4100 ASL and abov	e	
PRO		Arr/dep 343° fr heli (H1), day/ngt use. Edmonton Intl Class E airspace 3000 / Class C airspace 4100 ASL and above Class C require a discrete transponder or ctc 888-358-7526 at least 30 min pri	overlies A/D. Acft operating in Edmor	nton a flt pln

EDMONTON / UNIV OF ALBERTA (STOLLERY CHILDREN'S HOSP MAHI) AB (Heli)










REF	N53 31 13 W113 31 19 Adj SW 15°E (2013) UTC-7(6) Elev 2367° VTA A5015 CAP
OPR	Alberta Health Services 780-407-8657 Cert NVIS OPS AUTH PPR
PF	A-1,2,4 C-3,5,6
FLT PLN FIC ACC	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) Edmonton IFR 888-358-7526
HELI DATA RCR	FATO 86' dia TLOF 57' dia hexagonal concrete rooftop Safety Area 115' dia 18,000lbs Max heli overall length 57.4' (CAR 602.96) Opr
LIGHTING	RY(LO) green PN ctc opr
COMM ATF	tfc 123.2 2NM below 4100 ASL Edmonton 127.4 4100 ASL and above
PRO	Arr/dep 306° to 163° fr heli (H1), day/night use (CAR 602.96). Edmonton Intl Class E airspace 3000 ASL (TRANSPONDER MANDATORY) and Class C airspace 4100 ASL and above overlies A/D. Acft operating in Edmonton Class C require a discrete transponder code which may be obtained by filing a flt pln or ctc 888-358-7526 at least 30 min prior to entering. Air traffic advsy freq 123.2 Edmonton City Area in Class G and E airspace.
CAUTION	Numerous bldgs to 2515' ASL E of helipad.

EDMONTON (ROYAL ALEXANDRA HOSP) AB (Heli)

CFH7









KEF	105 55 26 W 115 29 47 Auj 15 L (2014) 01C-7(0) Liev 2254 V 1A A5015	
OPR	PR Alberta Health Services 888-999-3770, RPAS Operation Enquiries 780-735-6555 Cert NVIS OPS AUTH PPR	
PF	A-1,4 C-2,3,5,6	
FLT PLN FIC ACC	Edmonton 780-890-8386 or Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) Edmonton IFR 888-358-7526	
HELI DATA RCR	FATO 86' dia non-supporting TLOF 64' x 64' CONC Safety Area 115' x 115' Elevated rooftop 17,000 lbs Max heli overall length 57.4' (CAR 602.96) Opr	
LIGHTING	RY(LO) PN ctc opr	

EDMON	EDMONTON (ROYAL ALEXANDRA HOSP) AB (Heli) (Cont'd) CFH		
СОММ	ATF TML	10 120.2 21111 201011 1100 1102	
PRO		Arr/dep 255° & 345° to 165° fr heli (H1) (CAR 602.96); routing via heli VTPC or as directed by ATC. Edmonton Intl Class E airspace 3000 ASL (TRANSPONDER MANDATORY) and Class C airspace 4100 ASL and above overlies A/D. Acft operating in Edmonton Class C require a discrete transponder code which may be obtained by filing a flt pln or ctc 888-358-7526 at least 30 min prior to entering. Air traffic advsy freq 123.2 Edmonton City Area in Class G and E airspace.	e
CAUTIO	N	Concrete guardrails extend 3" abv ramp edges. Hatched area descends away fr He to parkade. Lgtd elevator penthouse aprx 100' SW of pad ctr.	eli

EDMONTON / STURGEON COMMUNITY HOSP AB (Heli)

CSA₃





REF	N53 39 17 W113 37 38 Adj NW 15°E (2014) UTC-7(6) Elev 2250′ VTA A5015
OPR	Alberta Health Services 1-888-999-3770 Cert NVIS OPS AUTH PPR
PF	A-1,2,3,4 C-5,6
FLT PLN FIC ACC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) Edmonton IFR 888-358-7526
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia Max heli overall length 57.4' (CAR 602.96)
LIGHTING	RW(LO) yellow
COMM ATF TML	tfc 123.2 2NM BLW 3400 ASL Edmonton 127.4 3400 ASL and abv
PRO	Arr/dep 135° & 295° fr heli, (H1) (CAR 602.96). Routing via heli VTPC or as directed by ATC. Edmonton Intl Class E airspace 3000 ASL (TRANSPONDER MANDATORY) and Class C airspace 3400 ASL and above overlies A/D. Acft operating in Edmonton Class C require a discrete transponder code which may be obtained by filing a flt pln or ctc 888-358-7526 at least 30 min prior to entering. Air traffic advsy freq 123.2 Edmonton City Area in Class G and E airspace.
CAUTION	Trees and streetlights all quadrants. Two and three storey bldgs NW and E of heli.

Canadian Aviation Regulations

Division III — General Operating and Flight Rules

For full listing please visit: https://laws-lois.justice.gc.ca/eng/regulations/SOR-96-433/FullText.html#s-901.27

Visual Line-of-sight

- 901.11 (1) Subject to subsection (2), no pilot shall operate a remotely piloted aircraft system unless the pilot or a visual observer has the aircraft in visual line-of-sight at all times during flight.
- (2) A pilot may operate a remotely piloted aircraft system without the pilot or a visual observer having the aircraft in visual line-of-sight if the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903.03.

Procedures

- 901.23 (1) No pilot shall operate a remotely piloted aircraft system unless the following procedures are established:
 - O (a) normal operating procedures, including pre-flight, take-off, launch, approach, landing and recovery procedures; and
 - O (b) emergency procedures, including with respect to
 - (i) a control station failure,
 - (ii) an equipment failure.
 - (iii) a failure of the remotely piloted aircraft,
 - (iv) a loss of the command and control link,
 - (v) a fly-away, and
 - (vi) flight termination.
- (2) If the manufacturer of the remotely piloted aircraft system provides instructions with respect to the topics referred to in paragraphs (1)(a) and (b), the procedures established under subsection (1) shall reflect those instructions.
- (3) No pilot shall conduct the take-off or launch of a remotely piloted aircraft unless the procedures referred to in subsection (1) are reviewed before the flight by, and are immediately available to, each crew member.
- (4) No pilot shall operate a remotely piloted aircraft system unless the operation is conducted in accordance with the procedures referred to in subsection (1).

Site Survey

901.27 No pilot shall operate a remotely piloted aircraft system unless, before commencing operations, they determine that the site for take-off, launch, landing or recovery is suitable for the proposed operation by conducting a site survey that takes into account the following factors:

- (a) the boundaries of the area of operation;
- (b) the type of airspace and the applicable regulatory requirements;
- (c) the altitudes and routes to be used on the approach to and departure from the area of operation;
- (d) the proximity of manned aircraft operations;
- (e) the proximity of aerodromes, airports and heliports;
- (f) the location and height of obstacles, including wires, masts, buildings, cell phone towers and wind turbines;
- (g) the predominant weather and environmental conditions for the area of operation; and
- (h) the horizontal distances from persons not involved in the operation.

Operations at or in the Vicinity of an Aerodrome, Airport or Heliport


- 901.47 (1) No pilot shall operate a remotely piloted aircraft at or near an aerodrome that is listed in the Canada Flight Supplement or the Water Aerodrome Supplement in a manner that could interfere with an aircraft operating in the established traffic pattern.
- Subject to section 901.73, no pilot shall operate a remotely piloted aircraft at a distance of less than
 - O (a) three nautical miles from the centre of an airport; and
 - O (b) one nautical mile from the centre of a heliport.
- (3) No pilot shall operate a remotely piloted aircraft at a distance of less than three nautical miles from the centre of an aerodrome operated under the authority of the Minister of National Defence unless the operation is conducted in accordance with a special flight operations certificate RPAS issued under section 903.03.

Records


- 901.48 (1) Every owner of a remotely piloted aircraft system shall keep the following records:
 - O (a) a record containing the names of the pilots and other crew members who are involved in each flight and, in respect of the system, the time of each flight or series of flights; and
 - O (b) a record containing the particulars of any mandatory action and any other maintenance action, modification or repair performed on the system, including
 - (i) the names of the persons who performed them.
 - (ii) the dates they were undertaken,
 - (iii) in the case of a modification, the manufacturer, model and a description of the part or equipment installed to modify the system, and
 - (iv) if applicable, any instructions provided to complete the work.
- (2) Every owner of a remotely piloted aircraft system shall ensure that the records referred to in subsection (1) are made available to the Minister on request and are retained for a period of
 - (a) in the case of the records referred to in paragraph (1)(a), 12 months after the day on which they are created; and
 - O (b) in the case of the records referred to in paragraph (1)(b), 24 months after the day on which they are created.
- (3) Every owner of a remotely piloted aircraft system who transfers ownership of the system to another person shall, at the time of transfer, also deliver to that person all of the records referred to in paragraph (1)(b).



GFA Issue time + 00 hr - CLOUDS AND WEATHER




GFA Issue time + 00 hr - TURBULENCE, ICING AND FREEZING LEVEL






GFA Issue time + 06 hr - CLOUDS AND WEATHER




GFA Issue time + 06 hr - TURBULENCE, ICING AND FREEZING LEVEL






GFA Issue time + 12 hr - CLOUDS AND WEATHER



GFA Issue time + 12 hr - TURBULENCE, ICING AND FREEZING LEVEL





EDMONTON (CITY) - CCE7 - Cert

NOTAM

(F3357/25 NOTAMR F1275/25
Q) CZXX/QOEXXIV/NBO/E/000/999/6650N11045W999
A) CZEG CZVR B) 2507251455 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E - 010000N 0253000E - 050000S 0253000E - 05000S 0292200E - 01000ON 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM ANTI-AIRCRAFT WEAPONRY.)



MISERICORDIA (COMMUNITY HOSPITAL) - CMC2 - Cert

NOTAM

(F3357/25 NOTAMR F1275/25
Q) CXXX/QOEXX/IV/NBO/E/000/999/6650N11045W999
A) CZEG CZVR B) 2507251455 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E - 010000N 0253000E - 050000S 0253000E - 05000S 0292200E - 01000ON 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM ANTI-AIRCRAFT WEAPONRY.)



UNIV OF ALBERTA (STOLLERY CHILDREN'S HOSP MAHI) - CEW7 - Cert NOTAM

(F3357/25 NOTAMR F1275/25
Q) CXXX/QOEXX/IV/NBO/E/000/999/6650N11045W999
A) CZEG CZVR B) 2507251455 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E - 010000N 0253000E - 050000S 0253000E - 05000S 0292200E - 01000ON 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM ANTI-AIRCRAFT WEAPONRY.)



EDMONTON (ROYAL ALEXANDRA HOSPITAL) - CFH7 - Cert

NOTAM

(F3357/25 NOTAMR F1275/25
Q) CZXX/QOEXXIV/NBO/E/000/999/6650N11045W999
A) CZEG CZVR B) 2507251455 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E - 010000N 0253000E - 050000S 0253000E - 05000S 0292200E - 01000ON 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM ANTI-AIRCRAFT WEAPONRY.)



STURGEON COMMUNITY HOSPITAL - CSA3 - Cert

NOTAM

(F3357/25 NOTAMR F1275/25
Q) CZXX/QOEXX/IV/NBO/E/000/999/6650N11045W999
A) CZEG CZVR B) 2507251455 C) 2510251400EST
E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT IN RESPONSE TO THE SECURITY SITUATION IN THE DEMOCRATIC REPUBLIC OF CONGO. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 WITHIN THE AREA BOUNDED BY 010000N 0302800E - 010000N 0253000E - 050000S 0253000E - 05000S 0292200E - 01000ON 0302800E IN FIR KINSHASA (FZZA) DUE TO RISK FROM ANTI-AIRCRAFT WEAPONRY.)